I Claim:

- 1. A stable dietary supplement composition containing herbal ingredients selected from a group consisting of Spica Prunella flos, Chrysanthemi flos, Lonicera Japonica, Radix Notoginseng, Cleistocalyx Operculatis, Lentinus Edodes, and Sophora Japonica.
- 2. The dietary supplement composition of Claim 1, wherein Cleistocalyx Operculatis and Lentinus Edodes are accessed by distilling and extracting.
- 3. The dietary supplement composition of Claim 1, wherein Spica Prunella is accessed by extracting.
- 4. The dietary supplement composition of Claim 1, wherein the active ingredients comprise about 18.75%wt each Spica Prunella flos and Chrysanthemi flos, about 15% wt of Lonicera Japonica, about 12.5% wt each of Radix Notoginseng and Cleistocalyx Operculatis, and about 11.25%wt each of Lentinus Edodes and Sophora Japonica.
- 5. The dietary supplement composition of Claim 1, wherein said supplement is a tablet with binding agents containing at least cellulose, magnesium stearate and dextrose.
- 6. The dietary supplement composition of Claim 1, wherein said supplement is a capsule with a binding agent containing rice flour.
- 7. The dietary supplement composition of Claim 1, wherein the composition comprises a tablet or capsule.
- 8. A stable dietary supplement composition for decreasing and maintaining normal blood pressure in humans comprising as active ingredients about 18.75%wt each Spica Prunella flos and Chrysanthemi flos, about 15% wt of Lonicera Japonica, about 12.5% wt each of Radix Notoginseng and Cleistocalyx Operculatis, and about 11.25%wt each of Lentinus Edodes and

5 Sophora Japonica.

- 9. The dietary supplement composition of Claim 8, wherein said supplement is a tablet with binding agents containing at least cellulose, magnesium stearate and dextrose.
- 10. The dietary supplement composition of Claim 8, wherein said supplement is a capsule with a binding agent containing rice flour.
- 11. A stable dietary supplement composition for lowering high blood pressure, the composition containing an effective amount of active ingredients selected from a group consisting of Spica Prunella flos, Chrysanthemi flos, Lonicera Japonica, Radix Notoginseng, Cleistocalyx Operculatis, Lentinus Edodes, and Sophora Japonica, and where said composition is a tablet or capsule containing binding agents.

5

- 12. The composition of Claim 11, wherein said composition comprises about 18.75%wt each Spica Prunella flos and Chrysanthemi flos, about 15% wt of Lonicera Japonica, about 12.5% wt each of Radix Notoginseng and Cleistocalyx Operculatis, and about 11.25%wt each of Lentinus Edodes and Sophora Japonica.
- 13. A method of reducing blood pressure levels in humans, comprising the daily administration to a human of a composition containing as active ingredients Spica Prunella flos, Chrysanthemi flos, Lonicera Japonica, Radix Notoginseng, Cleistocalyx Operculatis, Lentinus Edodes, and Sophora Japonica.
- 14. The method of Claim 13, wherein said composition comprises about 18.75%wt each Spica Prunella flos and Chrysanthemi flos, about 15% wt of Lonicera Japonica, about 12.5% wt each of Radix Notoginseng and Cleistocalyx Operculatis, and about 11.25%wt each of Lentinus Edodes and Sophora Japonica.
- 15. A dietary supplement in tablet form, comprising about 18.75%wt each Spica Prunella flos and Chrysanthemi flos, about 15% wt of Lonicera Japonica, about 12.5% wt each of Radix

Notoginseng and Cleistocalyx Operculatis, and about 11.25%wt each of Lentinus Edodes and Sophora Japonica.

- 16. The supplement of Claim 15, further comprising binding agents containing cellulose, magnesium stearate and dextrose.
- 17. A dietary supplement in capsule form, comprising about 18.75%wt each Spica Prunella flos and Chrysanthemi flos, about 15% wt of Lonicera Japonica, about 12.5% wt each of Radix Notoginseng and Cleistocalyx Operculatis, and about 11.25%wt each of Lentinus Edodes and Sophora Japonica and further comprising rice flour as a binding agent.